

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8	prevalidat\$5 adj8 cach\$3 adj5 tag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 08:28
L2	15	prevalid\$5 same cach\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 08:29
L3	1124	((first or second or multiple or plural\$3 or several ot two or master) near5 tlb) same (tlb or (translation near2 (buffer or unit)) or atu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 08:55
L4	7265	711/108.ccls. or 711/118-120.ccls. or 711/133-134.ccls. or 711/138.ccls. or 711/140.ccls. or 711/144-145.ccls. or 711/159.ccls. or 711/206.ccls. or 711/207.ccls. or 711/3.ccls. or 711/156.ccls. or 711/168-169.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 08:52
L5	7446	711/108.ccls. or 711/118-120.ccls. or 711/133-134.ccls. or 711/138.ccls. or 711/140.ccls. or 711/144-145.ccls. or 711/159.ccls. or 711/206.ccls. or 711/207.ccls. or 711/3.ccls. or 711/156.ccls. or 711/168-169.ccls. or 711/128.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 08:52
L6	16	(prevalid\$5 or (pre adj1 vali\$5)) same (tlb or (translation near2 (buffer or unit)) or atu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 08:54
L7	195	bypass\$3 with (tlb or (translation near2 (buffer or unit)) or atu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 08:54
L8	508	integer same (tlb or (translation near2 (buffer or unit)) or atu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 09:14

L9	35	lyon-terry\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 08:56
L10	8	1 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 08:56
L11	9	2 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 08:56
L12	1	11 not 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 08:57
L13	0	10 and (@ad<"19991217" or @rlad<"19991217")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 09:09
L14	0	11 and (@ad<"19991217" or @rlad<"19991217")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 08:58
L15	8	3 and 6 and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 08:59
L16	2	15 not 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 09:00

L17	1	16 and (@ad<"19991217" or @rlad<"19991217")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 09:01
L18	0	17 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 09:02
L19	20	3 and 7 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 09:03
L20	426	(compar\$4 or match\$3 or hit) same (physical near2 address) same invalid\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 09:06
L21	3	7 same 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 09:09
L22	7	19 and 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 09:09
L23	1	22 and (@ad<"19991217" or @rlad<"19991217")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 09:14
L24	10	5 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 09:14

L25	8	24 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 09:14
L26	2	25 not 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 09:14
L27	1	26 and (@ad<"19991217" or @rlad<"19991217")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 09:20
L28	0	27 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 09:23
L29	11	5 and 3 and 8 and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 09:26